



Antenna Datasheet

Product OC: YECA000M1A

Version: 1.6

Date: 2025-04-24

Status: Released

Product Name: 4G Adhesive Mount Low Profile Monopole External
Antenna

Key Features:

Frequency Band: 698–960 MHz & 1710–2690 MHz

Dimensions: Φ 99.98 mm \times 17.46 mm

Efficiency: Up to 52 % (FS)

RoHS and REACH Compliant

IP68, IP69K, IK10

Pressure load: 1500 lbs MAX

Overview

The YECA000M1A antenna is a self-developed Quectel design that delivers exceptional performance and stability, making it suitable for the challenging environments found in municipal road applications. This antenna features a paste-on installation method, allowing for easy attachment to roads, sidewalks, or manholes. Its robust, non-reflective, and low-profile design ensures consistent and reliable operation in diverse settings.

Operating within the 4G LTE frequency bands, the YECA000M1A provides high-speed and stable signal transmission. It comes with an integrated SMA-M direct mount connector for seamless connectivity with other communication devices. To meet customer demands, the YECA000M1A 4G antenna also offers customizable cable and connector options.

The YECA000M1A 4G antenna is instrumental in smart city initiatives and is widely applied in intelligent transportation, monitoring, and security systems, making it an ideal choice for 4G communications. This weather-resistant, paste-on marking antenna ensures a stable and reliable wireless connection in various environments. For installation ease, it is recommended to use durable adhesive solutions like 3M VHB 4955 to securely attach the antenna to its intended location.

Contents

Overview	1
Contents	2
1 Specification	3
1.1. Electrical.....	3
1.2. Mechanical & Environmental	4
2 Drawing	5
3 Detailed Performance	6
3.1. S-Parameter Test	6
3.1.1. VSWR	6
3.1.2. Return Loss.....	7
3.2. Radiation Performance Test.....	8
3.2.1. Efficiency.....	8
3.2.2. Average Gain	9
3.2.3. Peak Gain	10
3.2.4. 3D & 2D Radiation Pattern	11
3.2.4.1. Test Condition: Free Space	11
4 Packaging	15
Contact Us	17
Legal Notices	18
Revision History	20

1 Specification

Test Condition: In Free Space

1.1. Electrical

Electrical	
Frequency Range	698–960 MHz & 1710–2690 MHz
Impedance	50 Ω
Polarization	Linear
Radiation Pattern	Omni-directional

Electrical – Detail													
SPEC	Band	Band	B71	B12 /B13 /B28	B5 /B8 /B26	n74 /n75 /n76	B1 /B2 /B3	B40	Wi-Fi 2G	B38 /B41	B42 /B48 /n77	n79	Wi-Fi 5G
	Freq. (MHz)	600– 700	700– 810	820– 960	1420– 1520	1700– 2170	2300– 2400	2400– 2500	2500– 2690	3300– 4200	4400– 5000	5150– 5850	
Max. VSWR	FS	-	2.1	4.2	-	2.6	2.9	2.7	2.8	-	-	-	
Max. Return Loss (dB)	FS	-	-9.1	-4.2	-	-7.0	-6.3	-6.7	-6.5	-	-	-	
AVG Eff. (%)	FS	-	49.4	31.7	-	33.7	27.8	28.5	26.1	-	-	-	
AVG Gain (dB)	FS	-	-3.1	-5.3	-	-4.7	-5.6	-5.5	-5.8	-	-	-	
Max. Peak Gain (dBi)	FS	-	2.9	2.6	-	1.8	-1.0	-0.7	-1.5	-	-	-	
VSWR	FS			≤ 4.2									
Return Loss	FS			≤ -4.2 dB									


Peak Gain	FS	≤ 2.9 dBi
-----------	----	-----------

- FS: In Free Space

1.2. Mechanical & Environmental

Mechanical	
Antenna Dimensions	Φ 99.98 mm × 17.46 mm
Casing Material & Color	ASA & Grey
Cable Type & Color & Length	ALSR 100 & Black & 1460 mm
Connector Type	SMA Male
Mounting Type	Adhesive
Weight	Typ. 101.5 g
Environmental	
Operation Temperature	-40 °C to +85 °C
Storage Temperature	-40 °C to +85 °C
Ingress Protection (IP) Rating	IP68 (water depth 2 m for 1 hour), IP69K
Impact Protection (IK) Rating	IK10
RoHS & REACH Compliant	Yes
Housing UV Resistant	UL 746c f1


2 Drawing



3 Detailed Performance

3.1. S-Parameter Test


3.1.1. VSWR



VSWR

Frequency (MHz)	600	630	710	830	900	960	1440	1710	1740	1880
VSWR	-	-	1.7	1.8	3.0	4.2	-	1.6	1.9	2.1
Frequency (MHz)	1950	2140	2350	2450	2600	2690	4700	5000	5500	6000
VSWR	2.0	2.2	2.1	2.7	2.2	-	-	-	-	-

3.1.2. Return Loss




Return Loss (dB)

Frequency (MHz)	600	630	710	830	900	960	1440	1710	1740	1880
Return Loss (dB)	-	-	-11.6	-11.0	-6.1	-4.2	-	-12.2	-9.9	-8.8
Frequency (MHz)	1950	2140	2350	2450	2600	2690	4700	5000	5500	6000
Return Loss (dB)	-9.5	-8.5	-9.0	-6.7	-8.5	-	-	-	-	-

3.2. Radiation Performance Test


3.2.1. Efficiency



Efficiency (%)

Frequency (MHz)	600	630	710	830	900	960	1440	1710	1740	1880
Efficiency (%)	-	-	47.6	50.3	26.7	15.4	-	38.9	36.5	32.3
Frequency (MHz)	1950	2140	2350	2450	2600	2690	4700	5000	5500	6000
Efficiency (%)	33.6	34.1	30.5	27.3	26.6	-	-	-	-	-


3.2.2. Average Gain



Average Gain (dB)

Frequency (MHz)	600	630	710	830	900	960	1440	1710	1740	1880
Average Gain (dB)	-	-	-3.2	-3.0	-5.7	-8.1	-	-4.1	-4.4	-4.9
Frequency (MHz)	1950	2140	2350	2450	2600	2690	4700	5000	5500	6000
Average Gain (dB)	-4.7	-4.7	-5.2	-5.6	-5.8	-	-	-	-	-

3.2.3. Peak Gain




Peak Gain (dBi)


Frequency (MHz)	600	630	710	830	900	960	1440	1710	1740	1880
Peak Gain (dBi)	-	-	1.4	2.6	-0.5	-2.6	-	1.6	0.9	0.9
Frequency (MHz)	1950	2140	2350	2450	2600	2690	4700	5000	5500	6000
Peak Gain (dBi)	1.3	0.1	-1.1	-1.1	-1.7	-	-	-	-	-


3.2.4. 3D & 2D Radiation Pattern


3.2.4.1. Test Condition: Free Space

- Test Chamber: GL-S-1














4 Packaging

Step	Packaging Picture / 2D Picture	Description
1		<p>After covering the bubble bag, the product is put into the PE bag. 1 pc antenna product in a PE bag. (1 PC / PE Bag)</p>
2		<p>10 pcs PE bags in a big PE bag. (10 PCS / Big PE Bag)</p>
3		<p>(4 Big PE Bag / Carton Box) (40 PCS Antennas / Carton Box) <u>Carton Size:</u> <u>L x W x H = 405 x 293 x 185 mm</u></p>

4		Position for Attaching Labels ① Carton Label ② Quality Label
5		Sealing Cartons H-shaped sealing cartons
Note	The initial packaging method described above is for reference only, and the final actual packaging method shall be subject to the actual shipping packaging.	

Contact Us

At Quectel, our aim is to provide timely and comprehensive services to our customers. If you require any assistance, please contact our headquarters:

Quectel Wireless Solutions Co., Ltd.

Building 5, Shanghai Business Park Phase III (Area B), No.1016 Tianlin Road, Minhang District, Shanghai 200233, China

Tel: +86 21 5108 6236

Email: info@quectel.com

Or our local offices. For more information, please visit:

<http://www.quectel.com/support/sales.htm>.

For technical support, or to report documentation errors, please visit:

<http://www.quectel.com/support/technical.htm>.

Or email us at: support@quectel.com.

Legal Notices

We offer information as a service to you. The provided information is based on your requirements and we make every effort to ensure its quality. You agree that you are responsible for using independent analysis and evaluation in designing intended products, and we provide reference designs for illustrative purposes only. Before using any hardware, software or service guided by this document, please read this notice carefully. Even though we employ commercially reasonable efforts to provide the best possible experience, you hereby acknowledge and agree that this document and related services hereunder are provided to you on an “as available” basis. We may revise or restate this document from time to time at our sole discretion without any prior notice to you.

Use and Disclosure Restrictions

License Agreements

Documents and information provided by us shall be kept confidential, unless specific permission is granted. They shall not be accessed or used for any purpose except as expressly provided herein.

Copyright

Our and third-party products hereunder may contain copyrighted material. Such copyrighted material shall not be copied, reproduced, distributed, merged, published, translated, or modified without prior written consent. We and the third party have exclusive rights over copyrighted material. No license shall be granted or conveyed under any patents, copyrights, trademarks, or service mark rights. To avoid ambiguities, purchasing in any form cannot be deemed as granting a license other than the normal non-exclusive, royalty-free license to use the material. We reserve the right to take legal action for noncompliance with abovementioned requirements, unauthorized use, or other illegal or malicious use of the material.

Trademarks

Except as otherwise set forth herein, nothing in this document shall be construed as conferring any rights to use any trademark, trade name or name, abbreviation, or counterfeit product thereof owned by Quectel or any third party in advertising, publicity, or other aspects.

Third-Party Rights

This document may refer to hardware, software and/or documentation owned by one or more third parties (“third-party materials”). Use of such third-party materials shall be governed by all restrictions and obligations applicable thereto.

We make no warranty or representation, either express or implied, regarding the third-party materials, including but not limited to any implied or statutory, warranties of merchantability or fitness for a particular purpose, quiet enjoyment, system integration, information accuracy, and non-infringement of any third-party intellectual property rights with regard to the licensed technology or use thereof. Nothing herein constitutes a representation or warranty by us to either develop, enhance, modify, distribute, market, sell, offer for sale, or otherwise maintain production of any our products or any other hardware, software, device, tool, information, or product. We moreover disclaim any and all warranties arising from the course of dealing or usage of trade.

Privacy Policy

To implement module functionality, certain device data are uploaded to Quectel's or third-party's servers, including carriers, chipset suppliers or customer-designated servers. Quectel, strictly abiding by the relevant laws and regulations, shall retain, use, disclose or otherwise process relevant data for the purpose of performing the service only or as permitted by applicable laws. Before data interaction with third parties, please be informed of their privacy and data security policy.

Disclaimer

- a) We acknowledge no liability for any injury or damage arising from the reliance upon the information.
- b) We shall bear no liability resulting from any inaccuracies or omissions, or from the use of the information contained herein.
- c) While we have made every effort to ensure that the functions and features under development are free from errors, it is possible that they could contain errors, inaccuracies, and omissions. Unless otherwise provided by valid agreement, we make no warranties of any kind, either implied or express, and exclude all liability for any loss or damage suffered in connection with the use of features and functions under development, to the maximum extent permitted by law, regardless of whether such loss or damage may have been foreseeable.
- d) We are not responsible for the accessibility, safety, accuracy, availability, legality, or completeness of information, advertising, commercial offers, products, services, and materials on third-party websites and third-party resources.

Copyright © Quectel Wireless Solutions Co., Ltd. 2025. All rights reserved.

Revision History

Version	Date	Author	Note
-	2023-07-10	Andy YAN/ Toby WANG/ David LIU/ Vinnie LIU	Creation of the document
1.0	2023-07-10	Andy YAN/ Toby WANG/ David LIU/ Vinnie LIU	First official release
1.1	2023-12-05	Toby WANG/ Vinnie LIU	Updated casing color (Chapter 1.2).
1.2	2024-01-22	Toby WANG	Updated cable type to ALSR 100 (Chapters 1.2 and 2).
1.3	2024-11-02	Toby WANG	Added housing UV resistant (Chapter 1.2).
1.4	2025-01-09	Toby WANG	Updated the drawing (Chapter 2).
1.5	2025-03-11	Rainey LIAO	Updated the starting frequency to 698 MHz (Homepage and Chapter 1.1)
1.6	2025-04-24	Rainey LIAO	Updated the antenna image (Cover page).

QUECTEL

www.quectel.com