



Antenna Datasheet

Product OC: YFCA010AA

Version: 3.0

Date: 2024-06-07

Status: Released

Product Name: 5G FPC Antenna

Key Features:

Frequency Band: 410–470 MHz; 700–960 MHz; 1400–6000 MHz

Dimensions: 138.8 × 16.2mm

Efficiency: Up to 76.3 % (EVB)

RoHS and REACH Compliant

Overview

This Quectel embedded 5G FPC antenna covers 5G NR Sub-6 GHz frequency bands and is compatible with 4G/3G/2G/LPWA bands. Ground plane independent, it's designed to be mounted directly to the underside of either a plastic or non-metallic enclosure. Ease of integration with a cable and connector which can be customized to meet your product design and RF module. Used with other 5G antennas, it can achieve MIMO (multiple input, multiple output) antenna technology for wireless communications in which multiple antennas are used at both the source (transmitter) and the destination (receiver).

Contents

Overview.....	1
Contents.....	2
1 Specification.....	3
1.1. Electrical.....	3
1.2. Mechanical & Environmental	4
2 Drawing	5
3 Detailed Performance	6
3.1. S-Parameter Test	6
3.1.1. VSWR.....	6
3.1.2. Return Loss	7
3.2. Radiation Performance Test.....	8
3.2.1. Efficiency	8
3.2.2. Average G	9
3.2.3. Peak Gain.....	10
3.2.4. 3D & 2D Radiation Pattern.....	11
3.2.4.1. Test Condition: Stick to ABS Board on 130 x 130 mm EVB Board	11
3.2.4.2. Test Condition: Free Space	17
4 Packaging	23
Contact Us.....	25
Legal Notices	26
Revision History	28

1 Specification

Test Condition: Stick to ABS Board on 130 x 130mm EVB Board & Free space

1.1. Electrical

Electrical	
Frequency Range	410–470 MHz;700–960 MHz;1400–6000 MHz
Impedance	50 Ω
Polarization	Linear
Radiation Pattern	Omni-directional

Electrical - Detail													
SPEC	Band	B31/ B87	B71	B12 /B13 /B28	B5 /B8 /B26	n74 /n75 /n76	B1 /B2 /B3	B40	Wi-Fi 2G	B38 /B41	B42 /n77	n79	Wi-Fi 5G
	Freq. (MHz)	400- 470	600- 700	700- 810	820- 960	1420- 1520	1700- 2170	2300- 2400	2400- 2500	2500- 2690	3300- 4200	4400- 5000	5150- 5850
Max. VSWR	EVb	6.6	7.8	3.5	5.0	1.6	2.8	3.2	3.2	2.8	2.3	3.1	2.5
	FS	11.2	3.8	2.7	3.6	2.7	2.5	2.8	2.4	2.4	1.7	2.2	2.7
Max. Return Loss (dB)	EVb	-2.6	-2.3	-5.1	-3.5	-12.4	-6.4	-5.7	-5.5	-6.4	-7.9	-5.8	-7.2
	FS	-1.6	-4.7	-6.8	-5.0	-6.7	-7.4	-6.5	-7.9	-7.7	-12.1	-8.4	-6.7
AVG Eff. (%)	EVb	36.9	37.9	62.4	47.2	68.6	49.5	42.3	41.0	63.5	62.3	45.4	44.9
	FS	8.0	10.4	21.0	51.8	40.8	50.8	28.5	37.3	45.6	54.1	43.8	53.3
AVG AVG Gain (dB)	EVb	-4.6	-4.5	-2.1	-3.3	-1.7	-3.1	-3.7	-3.9	-2.0	-2.1	-3.5	-3.5
	FS	-12.0	-9.9	-6.9	-2.9	-4.0	-3.0	-5.5	-4.3	-3.4	-2.7	-3.6	-2.8


Max. Peak Gain (dBi)	EVB	0.5	2.7	3.0	2.0	4.6	3.1	2.4	1.9	3.2	4.3	4.4	5.2
	FS	-4.8	-6.0	-2.4	1.2	0.2	2.2	-1.3	-0.7	1.9	2.7	2.4	4.2
VSWR				EVB			≤ 7.8						
				FS			≤ 11.2						
Return Loss				EVB			≤ -2.3 dB						
				FS			≤ -1.6dB						
Peak Gain				EVB			≤ 5.2 dBi						
				FS			≤ 4.2 dBi						

- FS: Free Space
- EVB: On 130 × 130 mm EVB

1.2. Mechanical & Environmental

Mechanical	
Antenna Dimensions	138.8 × 16.2mm
Material & Color	FPC & Black
Cable Type & Color & Length	Φ1.13 & Black & 101 mm
Connector Type	IPEX MHF 1
Mounting Type	Adhesive
Weight	Typ. 1.1 g
Environmental	
Operation Temperature	-40 °C to +85 °C
Storage Temperature	-40 °C to +85 °C
RoHS and REACH Compliant	Yes


2 Drawing



3 Detailed Performance

3.1. S-Parameter Test


3.1.1. VSWR



VSWR

Frequency (MHz)	410	420	460	470	600	630	710	830	900	960	1440	1710
EVB	4.2	1.9	5.7	6.6	7.8	6.5	2.5	3.6	4.4	4.8	1.3	1.9
FS	1.0	11.2	1.9	1.4	2.4	3.5	2.3	1.4	2.4	3.6	2.6	1.3
Frequency (MHz)	1740	1880	1950	2140	2350	2450	2600	3600	4700	5000	5500	6000
EVB	2.0	2.6	2.6	2.2	2.6	3.1	1.8	2.3	3.0	1.5	2.2	1.5
FS	1.4	1.8	2.0	2.4	2.7	1.9	2.4	1.2	1.1	2.2	1.9	2.0

3.1.2. Return Loss




Return Loss (dB)

Frequency (MHz)	410	420	460	470	600	630	710	830	900	960	1440	1710
EVB	-7.5	-10.1	-3.1	-2.6	-2.3	-2.7	-7.3	-4.9	-4.0	-3.7	-18.8	-10.3
FS	-1.7	-1.6	-10.3	-16.5	-7.7	-5.1	-7.9	-16.5	-7.8	-5.0	-7.1	-17.5
Frequency (MHz)	1740	1880	1950	2140	2350	2450	2600	3600	4700	5000	5500	6000
EVB	-9.3	-7.1	-6.9	-8.5	-7.1	-5.7	-10.8	-8.0	-6.0	-13.5	-8.3	-13.7
FS	-16.0	-10.8	-9.8	-7.7	-6.8	-10.2	-7.7	-19.2	-23.3	-8.4	-10.0	-9.7

3.2. Radiation Performance Test


3.2.1. Efficiency



Efficiency (%)

Frequency (MHz)	410	420	460	470	600	630	710	830	900	960	1440	1710
EVB	11.6	26.0	38.9	34.1	22.2	28.3	71.8	49.2	47.1	44.1	74.7	67.0
FS	7.9	7.2	15.9	18.1	9.3	9.4	15.8	40.1	63.9	41.3	33.4	60.2
Frequency (MHz)	1740	1880	1950	2140	2350	2450	2600	3600	4700	5000	5500	6000
EVB	62.0	51.6	45.5	45.5	42.4	40.3	66.9	55.2	42.6	54.9	40.7	46.9
FS	59.8	55.4	58.0	30.3	29.1	36.7	50.1	61.9	45.3	44.2	46.9	45.4


3.2.2. Average Gain



Average Gain (dB)

Frequency (MHz)	410	420	460	470	600	630	710	830	900	960	1440	1710
EVB	-9.4	-5.8	-4.1	-4.7	-6.5	-5.5	-1.4	-3.1	-3.3	-3.6	-1.3	-1.7
FS	-11.0	-11.4	-8.0	-7.4	-10.3	-10.3	-8.0	-4.0	-1.9	-3.8	-4.8	-2.2
Frequency (MHz)	1740	1880	1950	2140	2350	2450	2600	3600	4700	5000	5500	6000
EVB	-2.1	-2.9	-3.4	-3.4	-3.7	-3.9	-1.7	-2.6	-3.7	-2.6	-3.9	-3.3
FS	-2.2	-2.6	-2.4	-5.2	-5.4	-4.4	-3.0	-2.1	-3.4	-3.6	-3.3	-3.4

3.2.3. Peak Gain




Peak Gain (dBi)

Frequency (MHz)	410	420	460	470	600	630	710	830	900	960	1440	1710
EVB	-5.9	-2.4	-0.3	-0.8	-1.0	0.1	3.0	1.6	1.5	1.9	4.1	2.3
FS	-8.8	-8.8	-5.7	-5.0	-7.6	-7.5	-5.4	-1.3	1.2	-1.2	0.2	2.2
Frequency (MHz)	1740	1880	1950	2140	2350	2450	2600	3600	4700	5000	5500	6000
EVB	2.2	1.3	1.5	2.6	1.0	1.0	3.1	3.4	3.7	4.0	3.4	5.3
FS	2.0	2.1	1.6	-0.9	-2.3	-1.2	1.7	2.1	1.0	1.1	1.7	2.0



3.2.4. 3D & 2D Radiation Pattern

3.2.4.1. Test Condition: Stick to ABS Board on 130 x 130 mm EVB Board







- Test Chamber: HF-G-1





420 MHz









460 MHz





630 MHz









710 MHz











830 MHz





900 MHz





1440 MHz













4700 MHz



5500 MHz





3.2.4.2. Test Condition: Free Space







- Test Chamber: HF-G-1











420 MHz





460 MHz









630 MHz











830 MHz




900 MHz





1440 MHz













2450 MHz









2600 MHz





3600 MHz









4000 MHz




4700 MHz




5500 MHz



4 Packaging

Step	Packaging Picture / 2D Picture	Description
1		50 products in a bundle. 200 antenna products in a PE bag. (200 Antennas / PE Bag)
2		The quantity of the full container depends on the actual packing. <u>Carton Size:</u> <u>L × W × H = 405 × 293 × 185 mm</u>
3		Position for Attaching Labels ① Carton Label ② Quality Label

4		Sealing Cartons “I” type sealing cartons
Note	The initial packaging method described above is for reference only, and the final actual packaging method shall be subject to the actual shipping packaging.	

Contact Us

At Quectel, our aim is to provide timely and comprehensive services to our customers. If you require any assistance, please contact our headquarters:

Quectel Wireless Solutions Co., Ltd.

Building 5, Shanghai Business Park Phase III (Area B), No.1016 Tianlin Road, Minhang District, Shanghai 200233, China

Tel: +86 21 5108 6236

Email: info@quectel.com

Or our local offices. For more information, please visit:

<http://www.quectel.com/support/sales.htm>.

For technical support, or to report documentation errors, please visit:

<http://www.quectel.com/support/technical.htm>.

Or email us at: support@quectel.com.

Legal Notices

We offer information as a service to you. The provided information is based on your requirements and we make every effort to ensure its quality. You agree that you are responsible for using independent analysis and evaluation in designing intended products, and we provide reference designs for illustrative purposes only. Before using any hardware, software or service guided by this document, please read this notice carefully. Even though we employ commercially reasonable efforts to provide the best possible experience, you hereby acknowledge and agree that this document and related services hereunder are provided to you on an “as available” basis. We may revise or restate this document from time to time at our sole discretion without any prior notice to you.

Use and Disclosure Restrictions

License Agreements

Documents and information provided by us shall be kept confidential, unless specific permission is granted. They shall not be accessed or used for any purpose except as expressly provided herein.

Copyright

Our and third-party products hereunder may contain copyrighted material. Such copyrighted material shall not be copied, reproduced, distributed, merged, published, translated, or modified without prior written consent. We and the third party have exclusive rights over copyrighted material. No license shall be granted or conveyed under any patents, copyrights, trademarks, or service mark rights. To avoid ambiguities, purchasing in any form cannot be deemed as granting a license other than the normal non-exclusive, royalty-free license to use the material. We reserve the right to take legal action for noncompliance with abovementioned requirements, unauthorized use, or other illegal or malicious use of the material.

Trademarks

Except as otherwise set forth herein, nothing in this document shall be construed as conferring any rights to use any trademark, trade name or name, abbreviation, or counterfeit product thereof owned by Quectel or any third party in advertising, publicity, or other aspects.

Third-Party Rights

This document may refer to hardware, software and/or documentation owned by one or more third parties (“third-party materials”). Use of such third-party materials shall be governed by all restrictions and obligations applicable thereto.

We make no warranty or representation, either express or implied, regarding the third-party materials, including but not limited to any implied or statutory, warranties of merchantability or fitness for a particular purpose, quiet enjoyment, system integration, information accuracy, and non-infringement of any third-party intellectual property rights with regard to the licensed technology or use thereof. Nothing herein constitutes a representation or warranty by us to either develop, enhance, modify, distribute, market, sell, offer for sale, or otherwise maintain production of any our products or any other hardware, software, device, tool, information, or product. We moreover disclaim any and all warranties arising from the course of dealing or usage of trade.

Privacy Policy

To implement module functionality, certain device data are uploaded to Quectel's or third-party's servers, including carriers, chipset suppliers or customer-designated servers. Quectel, strictly abiding by the relevant laws and regulations, shall retain, use, disclose or otherwise process relevant data for the purpose of performing the service only or as permitted by applicable laws. Before data interaction with third parties, please be informed of their privacy and data security policy.

Disclaimer

- a) We acknowledge no liability for any injury or damage arising from the reliance upon the information.
- b) We shall bear no liability resulting from any inaccuracies or omissions, or from the use of the information contained herein.
- c) While we have made every effort to ensure that the functions and features under development are free from errors, it is possible that they could contain errors, inaccuracies, and omissions. Unless otherwise provided by valid agreement, we make no warranties of any kind, either implied or express, and exclude all liability for any loss or damage suffered in connection with the use of features and functions under development, to the maximum extent permitted by law, regardless of whether such loss or damage may have been foreseeable.
- d) We are not responsible for the accessibility, safety, accuracy, availability, legality, or completeness of information, advertising, commercial offers, products, services, and materials on third-party websites and third-party resources.

Copyright © Quectel Wireless Solutions Co., Ltd. 2024. All rights reserved.

Revision History

Version	Date	Author	Note
-	2022-10-19	Wilson Bao/ Joye Wang	Creation of the document
1.0	2022-10-19	Wilson Bao/ Joye Wang	First official release
1.1	2023-01-28	Wilson Bao/ Joye Wang	Updated all data in this datasheet.
1.2	2023-06-13	Bunny Zhang	Updated the packaging information (Chapter 6).
1.3	2023-06-25	Joye Wang	Updated the product drawing (Chapter 5)
2.0	2023-10-19	Nico PAN/ Lucky FENG/ David LIU/ Aria CHU	Updated all test data in this datasheet.
3.0	2024-06-07	Joye WANG	- Updated the band information (Chapter 1.1). - Updated the drawing (Chapter 2). - Updated all test data in this datasheet.



www.quectel.com