



Antenna Datasheet

Product OC: YECT101W7AH

Version: 1.1

Date: 2025-07-28

Status: Released

Product Name: 5G Terminal Mount External Monopole Antenna

Key Features:

Frequency Band: 600–960 MHz, 1400–2690 MHz, 3300–6000 MHz

Dimensions: Φ 40.6 mm \times 78 mm

Efficiency: Up to 89.2 %

RoHS and REACH Compliant

IP67

IP69K

IK10

Overview

The YECT101W7AH is an 5G external antenna measuring Φ 40.6 mm × 78 mm. This ultra-wide-band ISM antenna provides coverage the 5G/4G/3G/2G networks as well as LPWA, Cat-M, NB IoT, ZigBee, ISM, Wi-Fi/BT. The antenna is terminated with N Male connector. This low profile, terminal mount omnidirectional antenna, ideal for applications where the antenna is required to be discrete, is easy to install with maximum durability assured thanks to its IP67 & IP69K and IK10 rated, ASA enclosure. It is compatible with Quectel's 5G Series modules.

The YECT101W7AH is designed as a monopole antenna, which needs to be mounted on a ground plane to offer high efficiency in all working bands. It can adopt waterproof, dustproof, and anti-drop design, with IP67 and IP69K waterproof and dustproof ratings, and IK10 impact protection (IK) rating, this design can maximize the protection of the antenna from natural environmental damage such as water droplets, dust and falls. We also provide a housing UV resistant of UL 746c f1, which can allow the YECT101W7AH to be used in outdoor environments for a long time and remain intact even in harsh environments, thereby extending its service life for providing a more flexible and reliable high-performance antenna solution for products in external application environments.

Typical Applications Include:

- Smart Buildings: Climate control, access control, security, irrigation
- Transport (Busses, Utility & Public Safety)
- Agricultural machinery
- Mining Vehicles & Machinery communications, telemetry and automation
- Industrial factory automation
- Warehouses & Logistic systems

Quectel provides comprehensive antenna design support such as simulation, testing and manufacturing for custom antenna solutions to meet your specific application needs. We have regional R & D centers to offer quick response to meet your requirements. Please contact our sales & FAEs if you have any requests.

Contents

Overview	1
Contents	2
1 Specification	3
1.1. Electrical.....	3
1.2. Mechanical & Environmental	4
2 Drawing	5
3 Detailed Performance	6
3.1. S-Parameter Test	6
3.1.1. VSWR	6
3.1.2. Return Loss.....	7
3.2. Radiation Performance Test.....	8
3.2.1. Efficiency.....	8
3.2.2. Average Gain	9
3.2.3. Peak Gain	10
3.2.4. 3D & 2D Radiation Pattern	11
4 Packaging	16
Contact Us	18
Legal Notices	19
Revision History	21

1 Specification

Test Condition: On 300 mm × 300 mm metal plane

1.1. Electrical

Electrical	
Frequency Range	600–960 MHz, 1400–2690 MHz, 3300–6000 MHz
Impedance	50 Ω
Polarization	Vertical
Radiation Pattern	Omni-directional


Electrical – Detail												
Band	Band	B71	B12	B5	n74	B1	B40	Wi-Fi 2G	B38	B42	n79	Wi-Fi 5G
			/B13 /B28	/B8 /B26	/n75 /n76	/B2 /B3			/B41	/B48 /n77		
SPEC	Freq. (MHz)	600– 700	700– 810	820– 960	1420– 1520	1700– 2170	2300– 2400	2400– 2500	2500– 2690	3300– 4200	4400– 5000	5150– 5850
Max. VSWR		9.8	3.6	1.4	1.9	1.8	1.1	1.2	1.2	2.5	2.6	1.8
Max. Return Loss (dB)		-1.8	-5.0	-16.1	-10.0	-10.8	-24.8	-20.9	-19.8	-7.3	-6.9	-10.8
AVG Eff. (%)		39.3	71.8	85.0	77.8	78.8	82.0	81.1	79.1	65.8	65.6	60.7
AVG AVG Gain (dB)		-4.3	-1.5	-0.7	-1.1	-1.0	-0.9	-0.9	-1.0	-1.8	-1.8	-2.2
Max. Peak Gain (dBi)		1.0	2.4	3.2	3.7	4.4	3.4	3.0	3.3	4.8	8.3	8.0
VSWR		≤ 9.8										
Return Loss		≤ -1.8 dB										
Peak Gain		≤ 8.3 dBi										

1.2. Mechanical & Environmental

Mechanical	
Antenna Dimensions	Φ 40.6 mm × 78 mm
Material & Color	ASA & Black
Connector Type	N Male
Weight	Typ. 180 g
Mounting Type	Screw
Environmental	
Operation Temperature	-40 °C to +85 °C
Storage Temperature	-40 °C to +85 °C
Ingress Protection (IP) Rating	IP67 (After Installation) IP69K (After Installation)
Impact Protection (IK) Rating	IK10*
RoHS & REACH Compliant	Yes
Housing UV Resistant	UL 746c f1

* Only the top surface of the product meets IK10.

2 Drawing




Caution: If you find the silicon seal ring dropping out of the groove when opening the package, it's a normal phenomenon due to its special structure design. Please assemble the silicon seal ring into groove before you assemble antenna on the device, thanks!

3 Detailed Performance

3.1. S-Parameter Test


3.1.1. VSWR



VSWR

Frequency (MHz)	600	630	710	830	900	960	1440	1710	1740	1880
VSWR	9.8	7.2	3.1	1.4	1.1	1.2	1.9	1.8	1.8	1.7
Frequency (MHz)	1950	2140	2350	2450	2600	3600	4700	5000	5500	6000
VSWR	1.6	1.3	1.1	1.2	1.2	1.3	2.3	1.6	1.3	2.0

3.1.2. Return Loss




Return Loss (dB)

Frequency (MHz)	600	630	710	830	900	960	1440	1710	1740	1880
Return Loss (dB)	-1.8	-2.4	-5.7	-16.4	-24.3	-20.8	-10.2	-10.9	-11.0	-11.6
Frequency (MHz)	1950	2140	2350	2450	2600	3600	4700	5000	5500	6000
Return Loss (dB)	-12.5	-16.7	-28.1	-22.6	-20.0	-18.1	-8.2	-12.4	-18.0	-9.3

3.2. Radiation Performance Test


3.2.1. Efficiency



Efficiency (%)

Frequency (MHz)	600	630	710	830	900	960	1440	1710	1740	1880
Efficiency (%)	21.3	30.9	62.2	83.0	87.5	79.7	77.2	72.6	73.2	75.2
Frequency (MHz)	1950	2140	2350	2450	2600	3600	4700	5000	5500	6000
Efficiency (%)	82.4	84.2	82.5	81.2	79.5	70.7	66.5	65.0	62.0	59.1


3.2.2. Average Gain



Average Gain (dB)

Frequency (MHz)	600	630	710	830	900	960	1440	1710	1740	1880
Average Gain (dB)	-6.7	-5.1	-2.1	-0.8	-0.6	-1.0	-1.1	-1.4	-1.4	-1.2
Frequency (MHz)	1950	2140	2350	2450	2600	3600	4700	5000	5500	6000
Average Gain (dB)	-0.8	-0.7	-0.8	-0.9	-1.0	-1.5	-1.8	-1.9	-2.1	-2.3

3.2.3. Peak Gain





Peak Gain (dBi)

Frequency (MHz)	600	630	710	830	900	960	1440	1710	1740	1880
Peak Gain (dBi)	-3.0	-1.8	1.2	2.5	3.1	2.4	3.4	3.0	3.2	3.4
Frequency (MHz)	1950	2140	2350	2450	2600	3600	4700	5000	5500	6000
Peak Gain (dBi)	3.6	4.2	3.1	3.0	3.1	3.9	7.5	8.0	6.5	6.9



3.2.4. 3D & 2D Radiation Pattern

- Test Condition: On 300 mm × 300 mm metal plane
- Test Chamber: GL-G-1













1440 MHz









1740 MHz





1880 MHz






1950 MHz









4 Packaging

Step	Packaging Picture / 2D Picture	Description
1		<p>The pearl cotton liner is placed on the bottom and the top of the product.</p>
2		<p>1 antenna product in an inner box. (1 Antenna / Inner Box)</p>
3		<p>(9 Inner Boxes / Carton Box) (9 Antennas / Carton Box) Estimated quantity Products that cannot fill the entire carton box are packed in a suitable size carton box. <u>Carton Size:</u> <u>L × W × H = 300 × 250 × 200 mm</u></p>

<p>4</p>		<p>Position for Attaching Labels</p> <ul style="list-style-type: none"> ① Carton Label ② Quality Label
<p>5</p>		<p>Sealing Cartons H-shaped sealing cartons</p>
<p>Note</p>	<p>The initial packaging method described above is for reference only, and the final actual packaging method shall be subject to the actual shipping packaging.</p>	

Contact Us

At Quectel, our aim is to provide timely and comprehensive services to our customers. If you require any assistance, please contact our headquarters:

Quectel Wireless Solutions Co., Ltd.

Building 5, Shanghai Business Park Phase III (Area B), No.1016 Tianlin Road, Minhang District, Shanghai 200233, China

Tel: +86 21 5108 6236

Email: info@quectel.com

Or our local offices. For more information, please visit:

<http://www.quectel.com/support/sales.htm>.

For technical support, or to report documentation errors, please visit:

<http://www.quectel.com/support/technical.htm>.

Or email us at: support@quectel.com.

Legal Notices

We offer information as a service to you. The provided information is based on your requirements and we make every effort to ensure its quality. You agree that you are responsible for using independent analysis and evaluation in designing intended products, and we provide reference designs for illustrative purposes only. Before using any hardware, software or service guided by this document, please read this notice carefully. Even though we employ commercially reasonable efforts to provide the best possible experience, you hereby acknowledge and agree that this document and related services hereunder are provided to you on an “as available” basis. We may revise or restate this document from time to time at our sole discretion without any prior notice to you.

Use and Disclosure Restrictions

License Agreements

Documents and information provided by us shall be kept confidential, unless specific permission is granted. They shall not be accessed or used for any purpose except as expressly provided herein.

Copyright

Our and third-party products hereunder may contain copyrighted material. Such copyrighted material shall not be copied, reproduced, distributed, merged, published, translated, or modified without prior written consent. We and the third party have exclusive rights over copyrighted material. No license shall be granted or conveyed under any patents, copyrights, trademarks, or service mark rights. To avoid ambiguities, purchasing in any form cannot be deemed as granting a license other than the normal non-exclusive, royalty-free license to use the material. We reserve the right to take legal action for noncompliance with abovementioned requirements, unauthorized use, or other illegal or malicious use of the material.

Trademarks

Except as otherwise set forth herein, nothing in this document shall be construed as conferring any rights to use any trademark, trade name or name, abbreviation, or counterfeit product thereof owned by Quectel or any third party in advertising, publicity, or other aspects.

Third-Party Rights

This document may refer to hardware, software and/or documentation owned by one or more third parties (“third-party materials”). Use of such third-party materials shall be governed by all restrictions and obligations applicable thereto.

We make no warranty or representation, either express or implied, regarding the third-party materials, including but not limited to any implied or statutory, warranties of merchantability or fitness for a particular purpose, quiet enjoyment, system integration, information accuracy, and non-infringement of any third-party intellectual property rights with regard to the licensed technology or use thereof. Nothing herein constitutes a representation or warranty by us to either develop, enhance, modify, distribute, market, sell, offer for sale, or otherwise maintain production of any our products or any other hardware, software, device, tool, information, or product. We moreover disclaim any and all warranties arising from the course of dealing or usage of trade.

Privacy Policy

To implement module functionality, certain device data are uploaded to Quectel's or third-party's servers, including carriers, chipset suppliers or customer-designated servers. Quectel, strictly abiding by the relevant laws and regulations, shall retain, use, disclose or otherwise process relevant data for the purpose of performing the service only or as permitted by applicable laws. Before data interaction with third parties, please be informed of their privacy and data security policy.

Disclaimer

- a) We acknowledge no liability for any injury or damage arising from the reliance upon the information.
- b) We shall bear no liability resulting from any inaccuracies or omissions, or from the use of the information contained herein.
- c) While we have made every effort to ensure that the functions and features under development are free from errors, it is possible that they could contain errors, inaccuracies, and omissions. Unless otherwise provided by valid agreement, we make no warranties of any kind, either implied or express, and exclude all liability for any loss or damage suffered in connection with the use of features and functions under development, to the maximum extent permitted by law, regardless of whether such loss or damage may have been foreseeable.
- d) We are not responsible for the accessibility, safety, accuracy, availability, legality, or completeness of information, advertising, commercial offers, products, services, and materials on third-party websites and third-party resources.

Copyright © Quectel Wireless Solutions Co., Ltd. 2025. All rights reserved.

Revision History

Version	Date	Author	Note
-	2025-02-05	Mayes Li/ Lance Sun/ Riva Ren/ Rainey Liao	Creation of the document
1.0	2025-02-05	Mayes Li/ Lance Sun/ Riva Ren/ Rainey Liao	First official release
1.1	2025-07-28	Lance Sun	Added a note on impact protection (IK) rating (Chapter 1.2).



www.quectel.com

